

# Pressure Switch

| Set Point      | Dual #Wires  | #Hose conn.  | Allred's #   |
|----------------|--------------|--------------|--------------|
| 0.1            | N            | 2            | 1            |
| <del>0.1</del> | <del>N</del> | <del>2</del> | <del>1</del> |
| 0.1            | N            | 2            | 1            |
| 0.1            | N            | 2            | 1            |
| 0.1            | N            | 2            | 2            |
| 0.15           | N            | 2            | 1            |
| 0.22           | N            | 2            | 1            |
| 0.22           | N            | 2            | 1            |
| 0.23           | N            | 2            | 1            |
| 0.25           | N            | 2            | 1            |
| 0.295          | N            | 2            | 1            |
| 0.30           | N            |              |              |
| 0.3            | N            | 2            | 1            |
| 0.30           | N            | 2            | 1            |
| 0.30           | N            |              |              |
| 0.3            | N            | 2            | 1            |
| 0.3            | N            | 2            | 1            |
| 0.33           | N            | 2            | 1            |
| 0.35           | N            | 2            | 1            |
| 0.35           | N            | 2            | 1            |
| 0.35           | N            | 2            | 1            |
| 0.37           | N            | 2            | 1            |
| 0.38           | N            | 2            | 1            |
| 0.4            | N            | 2            | 1            |
| 0.40           | N            |              |              |
| 0.4            | N            | 2            | 1            |
| 0.4            | N            | 2            | 1            |
| 0.40           | N            | 2            | 1            |
| 0.40           | N            | 2            | 1            |
| 0.4            | N            | 2            | 1            |
| 0.45           | N            | 3            | 1            |
| 0.45           | N            |              |              |
| 0.48           | N            |              |              |
| 0.50           | N            | 2            | 1            |
| 0.50           | N            | 2            | 1            |
| 0.50           | N            | 2            | N            |
| 0.50           | N            | 3            | 1            |

| Set Point | Dual #Wires | #Hose conn. | Allred's # |
|-----------|-------------|-------------|------------|
|-----------|-------------|-------------|------------|

|           |             |             |   |                  |
|-----------|-------------|-------------|---|------------------|
| 0.55      | N           | 2           | 2 | ARM 74W91/93W88  |
| 0.55      | N           | 2           | 1 | RHE 42-102070-18 |
| 0.55      | N           | 2           | 2 | ARM R101432-16   |
| 0.58      | N           |             |   | INF JS-0577-SS   |
| 0.60      | N           | 3           | 1 | RHE 42-101443-91 |
| 0.60      | N           | 2           | 2 | ARM 93W87        |
| 0.60      | N           | 2           | 1 | ARM 80W52        |
| 0.60      | N           | 2           | 2 | ARM R101432-13   |
| 0.60      | N           | 2           | 1 | RHE 42-102070-05 |
| 0.60      | N           | 2           | 1 | RHE 42-24196-85  |
| 0.60      | N           |             |   | ARM 74W90        |
| 0.60      | N           | 2           | 1 | RHE 42-102069-02 |
| 0.60      | N           |             |   | ARM R45696-001   |
| 0.65      | N           | 2           | 1 | ARM 80W57        |
| 0.65      | N           |             |   | INF JS-0575-YY   |
| 0.65      | N           | 2           | 1 | ARM R100684-04   |
| 0.68      |             |             |   | ARM 80W53        |
| 0.70      | N           | 2           | 1 | RHE 42-24196-87  |
| 0.70      | N           | 2           | 2 | ARM R101432-14   |
| 0.70      | N           | 2           | 1 | RHE 42-102069-08 |
| 0.70      | N           | 2           | 2 | ARM 93W90        |
| 0.70      | N           |             |   | ARM 75W46        |
| 0.70      | N           | 2           | 2 | ARM R45696-002   |
| 0.75      | N           |             |   | ARM 75W23        |
| 0.75      | N           | 2           | 2 | ARM 93W89        |
| 0.75      | N           | 2           | 1 | 80W58            |
| 0.75      | N           | 2           | 1 | ARM 80W54        |
| 0.80      | N           | 2           | 1 | RHE 42-100567-06 |
| 0.80      | N           | 2           | 1 | RHE 42-102069-01 |
| 0.80      | N           | 2           | 1 | RHE 42-24196-82  |
| 0.85      | N           | 2           | 2 | ARM R101432-15   |
| 0.85      | N           |             |   | INF JS-0576-AA   |
| 0.86      | N           | 2           | 1 | ADP 767769       |
| 0.90      | N           | 2           | 2 | ARM 80W63        |
| 0.90      |             |             |   | ARM 93W94        |
| 0.90      | N           | 2           | 1 | RHE 42-24012-09  |
| 0.95      | N           | 2           | 1 | RHE 42-24196-86  |
| 0.95      | N           | 2           | 1 | GMC 0130F00002P  |
| 1.0       | N           | 3           | 1 | RHE 42-22473-03  |
| Set Point | Duel #Wires | #Hose conn. |   | Allred's #       |
| 1.0       | N           | 2           | 1 | RHE 42-101956-09 |
| 1.0       | N           | 2           | 1 | RHE 42-23648-07  |

|           |             |   |             |                           |
|-----------|-------------|---|-------------|---------------------------|
| 1.0       | N           | 2 | 1           | RHE 42-102069-10          |
| 1.0       | N           | 2 | 1           | ADP 767770                |
| 1.08      | N           | 2 | 1           | RHE 42-100567-02          |
| 1.08      | N           | 2 | 1           | RHE RXGY-F18              |
| 1.11      | N           | 2 | 1           | RHE 42-24196-83           |
| 1.15      | N           | 2 | 1           | RHE 42-100567-07          |
| 1.15      | N           | 2 | 1           | RHE RXGY-F20              |
| 1.15      | N           | 3 | 1           | RHE 42-22473-02           |
| 1.19      | N           | 2 | 1           | GMC B13701-48             |
| 1.30      | N           | 2 | 1           | RHE 42-101447-91          |
| 1.30      | N           | 2 | 1           | RHE 42-24196-81           |
| 1.40      | N           | 2 | 1           | RHE 42-22473-01           |
| 1.40      | N           | 2 | 1           | GMC B13701-56             |
| 1.41      | N           |   |             | INF JS-0577-ZZ            |
| 1.5       | N           | 2 | 1           | RHE 42-24196-84           |
| 0.10/0.40 | Y           |   |             | RXGY-F13                  |
| 0.15/0.35 | Y           | 4 | 2           | RHE 42-24166-87           |
| 0.20/0.30 | Y           | 2 | 2           | RHE 42-24166-86           |
| 0.20/0.30 | Y           | 4 | 2           | RHE 42-102341-02          |
| 0.20/0.40 | Y           | 4 | 2           | RHE 42-24166-89           |
| 0.22/0.55 | Y           | 4 | 2           | GMC HAPS28                |
| 0.25/0.55 | Y           | 4 | 2           | ARM 73W35                 |
| 0.25/0.60 | Y           | 4 | 2           | ARM 69W56                 |
| 0.25/0.90 | Y           | 4 | 2           | ARM 93W75                 |
| 0.25/1.00 | Y           | 4 | 4           | ARM 74W36                 |
| 0.30/0.40 | Y           | 4 | 2           | RHE RXGY-F33 42-102056-22 |
| 0.30/0.50 | Y           | 4 | 2           | RHE RXGY-F21              |
| 0.30/0.55 | Y           | 4 |             | GMC B13702-10             |
| 0.30/0.68 | Y           | 4 | 2           | ARM 69W57                 |
| 0.38/0.82 | Y           | 4 | 2           | GMC HAPS29                |
| 0.40/0.60 | Y           | 4 | 2           | RHE 42-24197-05           |
| 0.40/0.60 | Y           | 4 | 2           | RHE 42-102056-05          |
| 0.40/0.70 | Y           | 4 | 2           | RHE RXGY-F32              |
| 0.40/0.80 | Y           | 4 | 2           | RHE RXGY-F19              |
| 0.45/0.80 | Y           | 4 | 2           | ARM R45697-001            |
| 0.45/0.80 | Y           | 4 | 2           | RHE 42-102056-29          |
| 0.45/1.00 | Y           | 4 | 2           | ARM R102613-02            |
| 0.50/0.85 | Y           | 4 | 2           | RHE 42-102056-28          |
| 0.50/0.86 | Y           | 4 | 2           | RHE 42-102056-04          |
| Set Point | Duel #Wires |   | #Hose conn. | Allred's #                |
| 0.50/0.95 | Y           | 4 | 2           | GMC B13702-04             |
| 0.50/1.08 | Y           | 4 | 2           | RHE 42-102056-10          |

|           |   |   |   |                  |
|-----------|---|---|---|------------------|
| 0.60/0.80 | Y | 4 | 2 | RHE RXGY-F30     |
| 0.60/1.08 | Y | 4 | 2 | RHE 42-102056-02 |
| 0.60/1.25 | Y | 4 | 2 | RHE 42-102056-26 |
| 0.66/1.28 | Y | 4 | 2 | RHE 42-102056-08 |
| 0.66/1.30 | Y | 4 | 2 | RHE 42-102056-06 |
| 0.66/1.15 | Y | 4 | 2 | RHE 42-102056-11 |
| 0.70/1.60 | Y | 4 | 2 | RHE 42-102056-25 |
| 0.80/1.08 | Y | 4 | 2 | RHE 42-102056-07 |
| 0.80/1.30 | Y | 4 | 2 | RHE 42-24197-01  |
| 0.80/1.30 | Y | 4 | 2 | RHE 42-102056-01 |
| 0.80/1.70 | Y | 4 | 2 | RHE 42-102056-27 |
| 0.86/1.15 | Y | 4 | 2 | RHE 42-101956-11 |
| 0.86/1.20 | Y | 4 | 2 | RHE 42-24197-03  |
| 0.86/1.20 | Y | 4 | 2 | RHE 42-102056-03 |
| 0.99/1.30 | Y | 4 | 2 | RHE 42-24197-06  |
| 1.10/2.88 | Y | 2 | 2 | GMC B13701-31    |

Adjustable

|          |   |        |      |              |
|----------|---|--------|------|--------------|
| 0.01-10" | N | 2 or 3 | 1or2 | NS20000031   |
| 0.2-1.0  | N | 2 or 3 | 1or2 | INV 2374-495 |
| 1.0-4.0  | N | 2 or 3 | 1or2 | INV 2374-498 |

# Limits

## Klixon mount

|   |   |                                  |                   |
|---|---|----------------------------------|-------------------|
| " | " | L115-20                          | RHE 47-104465-01  |
| " | " | L120-20                          | RHE 47-104465-02  |
| " | " | L125-10                          | RHE 47-104465-03  |
| " | " | L130-20                          | ARM 33H78         |
| " | " | L140-20                          | COL 7680-3791     |
| " | " | L140-30                          | COL 02535358000   |
| " | " | L145-30                          | COL 02535381000   |
| " | " | L150-20                          | COL 7660-3591     |
| " | " | L150-30                          | RHE 47-21663-09   |
| " | " | L155-20                          | COL 7680-3591     |
| " | " | L160-30                          | GMC B13701-87     |
| " | " | L180-40                          | WIL P200300       |
| " | " | L300                             | WIL P500118       |
| " | " | L320-30                          | GMC B13701-96     |
| " | " | <b>L135 - L175-40 adjustable</b> | <b>WHI 3L05-4</b> |
| " | " | <b>L175 - L215-40 adjustable</b> | <b>WHI 3L05-2</b> |

## Klixon mount manual reset

|      |                 |
|------|-----------------|
| L150 | RHE 47-21900-13 |
| L210 | RHE 47-21900-04 |
| L180 | COL 7624A3591   |
| L180 | COL 7990-3591   |
| L230 | RHE 47-21900-01 |
| L310 | RHE 47-22712-82 |

## Klixon mount small body

|         |                 |
|---------|-----------------|
| L120-20 | COL 07540014    |
| L150-30 | COL 7995-3281/A |
| L160-40 | GMC 20162903    |
| L170-40 | GMC 20162906    |

## Klixon mount s/body m/reset

|      |                 |
|------|-----------------|
| L180 | COL 7990-3591   |
| L180 | COL 07540006    |
| L260 | RHE 47-22383-13 |
| L330 | GMC B13701-10   |
| L330 | GMC B13701-08   |

## Klixon mount w/heater 4/wire

|         |                 |
|---------|-----------------|
| L100-10 | RHE 47-22860-05 |
| L105-10 | RHE 47-22860-01 |
| L105-10 | RHE 47-22860-03 |
| L110-10 | RHE 47-22860-02 |
| L110-10 | RHE 47-22860-04 |
| L110-10 | RHE 47-22860-06 |

## Rollout

|         |               |
|---------|---------------|
| L125    | GMC B13701-46 |
| L150-20 | GMC 20269903  |
| L150    | ARM 69W36     |
| L155-30 | ARM 74W77     |
| L170    | ARM 69W38     |
| L190    | ARM 69W39     |
| L210    | ARM 47W64     |
| L220    | ARM 69W42     |

|                                   |         |                      |
|-----------------------------------|---------|----------------------|
|                                   | L225    | ARM 74W75            |
|                                   | L400    | ARM 56W63            |
| Rollout manual reset              |         |                      |
|                                   | L130    | RHE 47-22453-01      |
|                                   | L160    | RHE 47-22453-03      |
|                                   | L185    | ARM R37520B018       |
|                                   | L210    | ARM 71W49            |
|                                   | L210    | ARM 25M60            |
|                                   | L220    | WIL P321826          |
|                                   | L220    | RHE 47-22862-01      |
|                                   | L240    | RHE 47-22862-03      |
|                                   | L250    | ARM 57W75 R37520B013 |
|                                   | L250    | RHE 47-22861-03      |
|                                   | L250    | RHE 47-22861-04      |
|                                   | L250    | RHE 47-22862-06      |
|                                   | L260    | RHE 47-22862-04      |
|                                   | L275    | ARM R37520B016       |
|                                   | L280    | RHE 47-22862-02      |
|                                   | L300    | RHE 47-22861-02      |
|                                   | L350    | ARM 98M86            |
|                                   | L350    | RHE 47-22861-01      |
| 3" insertion 1-3/8X1-5/8 mount    | L145-20 | RHE 47-25349-11      |
|                                   | L150-20 | RHE 47-25349-03      |
|                                   | L160-20 | RHE 47-25349-01      |
|                                   | L165-30 | ARM R46105-003       |
|                                   | L170-20 | RHE 47-25349-02      |
|                                   | L180-20 | RHE 47-25349-04      |
|                                   | L200-20 | RHE 47-25349-05      |
|                                   | L210-20 | RHE 47-25349-06      |
|                                   | L220-20 | RHE 47-25349-07      |
| 3" ins. 1-3/8X1-5/8 mount slanted | L130-20 | RHE 47-25350-13      |
|                                   | L160-20 | RHE 47-25350-05      |
|                                   | L170-20 | RHE 47-25350-06      |
|                                   | L180-20 | RHE 47-25350-07      |
|                                   | L190-20 | RHE 47-25350-01      |
|                                   | L195-20 | RHE 47-25350-12      |
|                                   | L200-20 | RHE 47-25350-09      |
|                                   | L220-20 | RHE 47-25350-08      |
| 3" ins. 1-7/8X2-3/4 mount         | L115-30 | ARM R46105-013       |
|                                   | L150-30 | GMC B13709-00S       |
|                                   | L150-30 | COL 07540013         |
|                                   | L150-30 | ARM 56W20 R46105-001 |
|                                   | L160-30 | ARM R46105-002       |
|                                   | L170-30 | ARM R40154B004       |
|                                   | L170-30 | ARM 57W37 R46105-004 |
|                                   | L170-20 | RHE 47-21711-06      |
|                                   | L180-30 | ARM 57W38 R46105-006 |
|                                   | L190-20 | RHE 47-21711-03      |
|                                   | L190-30 | ARM 36W90 R46105-007 |
|                                   | L190-30 | ARM 45K70            |

|                            |             |                      |
|----------------------------|-------------|----------------------|
|                            | L200-30     | ARM R46105-008/14L33 |
|                            | L200-30     | COL 6302-3041        |
|                            | L210-30     | ARM 56W24 R46105-009 |
|                            | L210-30     | ARM 46K71            |
|                            | L220-30     | ARM 56W27            |
|                            | L240-30     | ARM R46105-011       |
|                            | L250-30     | ARM 56W25 R46105-012 |
|                            | L260-30     | GMC B13709-05S       |
| 3" ins. Camstat            | L120 - L250 | CAM L593BA           |
| 5" insertion 1-1/2X1-11/16 | L135-30     | ARM 71W41            |
|                            | L140-30     | ARM 71W43            |
|                            | L145-30     | ARM 71W44            |
|                            | L150-30     | ARM 73W18            |
|                            | L155-30     | ARM 73W19            |
|                            | L165-30     | ARM 75W15            |
|                            | L175-30     | ARM 73W20            |
| 7" ins. 1-7/8X2-3/4 mount  | L130-20     | RHE 47-21711-08      |
|                            | L150-30     | GMC B13709-06S       |
|                            | L160-20     | RHE 47-21711-07      |
|                            | L165-30     | ADP 767166           |
|                            | L170-20     | RHE 47-21711-10      |
|                            | L170-30     | GMC B13709-10S       |
|                            | L180-20     | RHE 47-21711-11      |
|                            | L200-20     | RHE 47-21711-04      |
|                            | L210-30     | ADP 767167           |
|                            | L220-30     | GMC B13709-14S       |
|                            | L240-30     | ADP 767164           |
|                            | L240-30     | GMC B13709-21        |
| 7" ins. 1-3/8X1-5/8 mount  | L330-60     | WIL P321127          |
| Fusible links              | 121 C 250F  | WIL P204000          |
|                            | 167 C 333F  | RHE 44-20037-03      |
|                            | 141 C 285F  | RHE 442006 RGDA      |

## Fan & Limit

|                          |            |               |                 |
|--------------------------|------------|---------------|-----------------|
| 5" ins. W/R              | Fan 50-265 | Limit 100-300 | WHI 5D51-35     |
| 7" ins. Camstat          | Fan 90-120 | Limit 150-250 | CAM FAL7C05TD   |
| 7" ins. Camstat timed on | Fan 90-120 | Limit 150-250 | cam FALTS57C05T |
| 7" ins. Camstat timed on | Fan 90-120 | Limit 150-250 | cam FALTS57C65T |
| 8" ins. W/R              | Fan 50-265 | Limit 100-300 | WHI 5D51-90     |
| 8" ins. H/W timed on     | Fan 50-200 | Limit 100-250 | WHI 7-21337-81  |
| 11" ins. W/R             | Fan 50-265 | Limit 100-300 | WHI 5D51-78     |

## Fan Switches

Klixon

F110-20  
F105-20  
F120-15  
F70-10  
F85-10  
F90 – F130-20  
F140 – F180-20  
F165-35  
F160-30

COL 7975-3281  
COL 7710-3281  
WIL P200200  
RHE 47-42244-01  
WIL P322395  
WHI 3F05-1  
WHI 3F05-4  
WILL P296201  
WILL P213400

Klixon mount 3 connection

## Fan & Limits

3" insertion Cam Stat  
5" insertion W/R  
7" insertion Cam Stat  
7" insertion Cam Stat  
7" insertion Cam Stat  
8" insertion W/R  
11" insertion W/R

F90 – F120, L150 – L250  
F50- F265, L100 – L300  
F90 – F120, L150 – L250  
F90 – F250, L150 – L250  
F90 – F250, L150 – L250  
F50 – F265, L100 – L300  
F50 – F265, L100 – L300

CAM FAL3C-05TD  
WHI 5D51-35  
CAM FALTS57C65T  
CAM FALTS57C05T  
CAM FAL7C05TD  
WHI 5D51-90  
WHI 5D51-78



## Valves

| Connection     | Open      | Ign. System    | Voltage   | Man. #             | BTU        | Allred's #             | Stages | Notes                         |
|----------------|-----------|----------------|-----------|--------------------|------------|------------------------|--------|-------------------------------|
| 3/8X3/8        |           | s/pilot        | mill      |                    |            | will P323011           |        |                               |
| 3/8X1/2        |           | s/pilot        | mill      | 700SR              |            | will P295100A          |        | remote sensor & dial on valve |
| 3/8X1/2        | fast      | int. pilot     | 24        | 36E29-101          | 120        | col 02543267000        |        | side tap                      |
| 3/8X1/2        | fast      | int. pilot     | 24        | 7200ERCS           |            | col 7956-336P          |        | side tap                      |
| 3/8X1/2        |           | s/pilot        | mill      |                    |            | will P295301A          |        | LP gas, remote sensor & dial  |
| on valve       |           |                |           |                    |            |                        |        |                               |
| <b>1/2X1/2</b> | standard  | <b>s/pilot</b> | <b>24</b> | <b>VR8200A2132</b> | <b>130</b> | <b>hon VR8200A2132</b> |        |                               |
| 1/2X1/2        |           | hsi            | 24        | 36J52-212          |            | col 07540009           |        |                               |
| 1/2X1/2        |           |                | 24        | 36E54-246          |            | gmc C6476909           |        |                               |
| 1/2X1/2        | fast/slow | hsi            | 24        | SV9520H8042        | 150        | arm 28M95              |        |                               |
| 1/2X1/2        | standard  | dsi/hsi        | 24        | VR8205M2823        | 150        | arm 60J59              |        |                               |
| 1/2X1/2        |           |                | 24        | VR9205Q1006        |            | arm 69W44              | two    |                               |
| 1/2X1/2        |           |                | 24        | 2056701            |            | arm 70L53              |        |                               |
| 1/2X1/2        |           |                | 24        | VR8215S1248        |            | arm 73W17              |        |                               |
| 1/2x1/2        |           |                | 24        | VR8205S2379        |            | arm 93W80              |        |                               |
| 1/2X1/2        |           |                | 24        | VR8205S2254        |            | arm 93W81              |        | w/hose nipple                 |
| 1/2X1/2        | slow      | int.pilot      | 24        | SV9502H2704        |            | arm R44479-001         |        |                               |
| 1/2x1/2        |           |                | 24        | VR8205N8068        |            | arm R47485-003         |        | w/hose nipple                 |
| 1/2X1/2        | slow      | hsi/dsi        | 24        | VR8205N8829        | 150        | rhe 60-24394-01        |        |                               |
| 1/2X1/2        |           | hsi            | 24        | SV9520H8067        |            | arm RS45390-002        |        | w/plugs                       |
| 1/2X1/2        |           |                | 24        | VR9205R2363        |            | arm 72W34              |        | modulating                    |
| 1/2X1/2        |           | dsi/hsi        | 24        | 7200DER            |            | col 2702-326P          |        | auto RS                       |
| 1/2X1/2        | step      | dsi/hsi        | 24        | VR8204C1092        | 150        | rhe 60-22447-01        |        | vent connection               |
| 1/2X1/2        | step      | int. pilot     | 24        | 7200DER            | 150        | rhe 60-22525-03        |        | vent connection               |
| 1/2X1/2        | standard  | dsi/hsi        | 24        | 7200DER            | 150        | rhe 60-22525-04        |        |                               |
| 1/2X1/2        | fast      |                | 24        | 7200DER            | 150        | rhe 60-22525-05        |        | vent connection               |
| 1/2X1/2        | slow      | int. pilot     | 24        | 7200IPER           | 150        | rhe 60-23442-01        |        |                               |

## Valves

| Connection | Open        | Ing. System    | Voltage     | Man. #           | BTU        | Allreds's #          | Stage | Notes            |
|------------|-------------|----------------|-------------|------------------|------------|----------------------|-------|------------------|
| 1/2X1/2    | slow        | hsi            | 24          | SV9510D2         |            | ene 00016            |       |                  |
| 1/2X1/2    | standard    | hsi/dsi        | 24          | VR8205A2008      |            | inf JL-0701-AA       |       |                  |
| 1/2X1/2    |             |                | 120         | 36E01A254        |            | ray RTP-7            |       |                  |
| 1/2X1/2    |             | dsi            | 24          | 36E55-221        |            | rhe 60-23490-12      |       | 3 prong molex    |
| 1/2X1/2    |             | dsi            | 24          | 36E27-201        | 140        | rhe 60-24215-01      | mod.  | Modulating valve |
| 1/2X1/2    | slow        | dsi/hsi        | 24          | 2000DERHC        | 125        | rhe 60-24350-01      |       |                  |
| 1/2X1/2    | fast        | int. pilot     | 24          | VR8520A2083      | 180        | rhe 60-42132-01      | two   |                  |
| 1/2X1/2    | slow        | int. pilot     | 24          | 36E54-238        |            | gmc B12826-17        | two   | 3 prong plug     |
| 1/2X1/2    | slow        | his/dsi        | 24          | 36J23-502        | 140        | rhe 60-103901-01     |       |                  |
| 1/2X1/2    |             | his            | 24          | 36G22-254        |            | whi 36G22-254        |       | <b>b12826-28</b> |
| 1/2X1/2    |             | dsi            | 24          | 36G55-521        | 135        | rhe 60-101921-01     | two   |                  |
| 1/2X1/2    | slow        | hsi/dsi        | 24          | 36G55-521        | 140        | rhe 60-101921-81     | two   |                  |
| 1/2X1/2    |             | hsi/dsi        | 24          | 36J27-503        | 140        | rhe 60-102787-01     | mod   |                  |
| 1/2X1/2    |             | s/pilot        | 24          | VR8204C2         |            | wil P323209          |       |                  |
| 1/2X1/2    | <b>fast</b> | <b>hsi/dsi</b> | <b>24</b>   | <b>36G22-254</b> | <b>110</b> | <b>whi 36G22-254</b> |       |                  |
| 1/2X1/2    | standard    | dsi/hsi        | 24          | VR8205M2823      | 150        | adp 767146           |       |                  |
| 1/2X3/4    | standard    | int/pilot      | 24          | VR8304M3103      | 270        | rhe 60-21621-81      |       | 3 wire           |
| 1/2X3/4    |             | s/pilot        | 24          | VR8200C2213      | 130        | wil 7712             |       | LP gas!!!        |
| 1/2X3/4    |             | <b>s/pilot</b> | <b>24</b>   | <b>36C03-300</b> | <b>230</b> | <b>whi 36C03-300</b> |       |                  |
| 1/2X3/4    |             | <b>s/pilot</b> | <b>24</b>   | <b>36C03-333</b> | <b>230</b> | <b>whi 36C03-333</b> |       | <b>side tap</b>  |
| 1/2X3/4    |             | <b>s/pilot</b> | <b>mill</b> | <b>36C03U333</b> | <b>230</b> | <b>whi 36C03U333</b> |       | <b>side tap</b>  |
| 1/2X3/4    | fast        | int/pilot      | 24          | 7100IPER         | 150        | rhe 60-42462-02      |       | 3 wire           |
| 3/4X3/4    | slow/fast   | s/pilot        | 24          | 36C76-424        | 280        | rhe 60-42227-81      | two   |                  |
| 3/4X3/4    | slow        | int/pilot      | 24          | 36C94-250        | 280        | rhe 60-20714-98      |       |                  |
| 3/4X3/4    |             | int/pilot      | 24          | 36C76-448        |            | gmc B12826-10        | two   |                  |
| 3/4X3/4    | <b>fast</b> | <b>hsi/dsi</b> | <b>24</b>   | <b>36H37-423</b> | <b>300</b> | <b>whi 36H32-423</b> |       |                  |
| 3/4x3/4    | slow        | hsi/dsi        | 24          | 36H33-412        | 300        | whi 36H33-412        |       |                  |
| 3/4X3/4    | <b>fast</b> | <b>hsi/dsi</b> | <b>24</b>   | <b>36H64-463</b> | <b>300</b> | <b>whi 36H64-463</b> | two   |                  |
| 3/4X3/4    | <b>fast</b> | <b>s/pilot</b> | <b>24</b>   | <b>36C03-433</b> | <b>280</b> | <b>whi 36C03-433</b> |       | <b>side tap</b>  |
| 3/4X3/4    | step        | dsi/hsi        | 24          | VR8305P4337      | 300        | adp 767148           |       |                  |
| 3/4X3/4    |             | s/pilot        | 24          | VR8300A4508      | 300        | hon VR8300A4508      |       |                  |

## Transformers

| VA | Voltage        | Sec. | Mount            | Fused     | Allred's #       |
|----|----------------|------|------------------|-----------|------------------|
| 10 | 120            | 24   | Special          |           | res 4010         |
| 15 | 120            | 24   | foot             |           | col 7945-3551    |
| 20 | 120            | 24   | 4X4              |           | rhe 46-25107-01  |
| 25 | 120            | 24   | ½ EMT            |           | tri G-139        |
| 30 | 120            | 24   | spec. foot       |           | Arm 78H55        |
| 30 | 120            | 24   | foot             |           | adp 767155       |
| 40 | 120            | 24   | foot             |           | arm R38491B001   |
| 40 | 120            | 24   | foot or screw    |           | col 2940A-3541   |
| 40 | 120            | 24   | foot             |           | col 07540012     |
| 40 | 120            | 24   | foot             |           | Arm R38491B001   |
| 40 | 120            | 24   | foot             |           | Arm 19W88        |
| 40 | 120            | 24   | spec. foot       |           | Arm 42J32        |
| 40 | 120            | 24   | screw            | 44-MDL2   | rhe 46-22863-04  |
| 40 | 120            | 24   | screw            |           | rhe 46-25107-02  |
| 40 | 208/240        | 24   | channel          |           | rhe 46-25107-03  |
| 40 | 120/208/240    | 24   | foot, ½ EMT, 4X4 |           | mar 50304        |
| 40 | 120/208/240    | 24   | foot or 4X4      |           | whi S84Z-90      |
| 40 | 120/208/240/24 |      | foot             |           | whi 90-T40F3     |
| 40 | 120            | 24   | foot             | 2amp      | rhe 46-101496-01 |
| 50 | 120/208/240    | 24   | foot             | 3 m/res   | whi 90-T50C3     |
| 50 | 120            | 24   | channel          |           | rhe 46-102856-01 |
| 50 | 208/240        | 24   | foot or screw    |           | col 6302-386P    |
| 75 | 208/240/480    | 24   | foot or screw    |           | rhe 46-41898-01  |
| 75 | 120/208/240    | 24   | foot             | 3.7 m/res | whi 90-T75C3     |

## Fan Centers

|    |     |    |                          |                 |
|----|-----|----|--------------------------|-----------------|
| 40 | 120 | 24 | 4X4 w/out relay (90-370) | rhe 47-19807-04 |
| 40 | 120 | 24 | 4X4 w/relay              | whi 90-113      |
| 40 | 120 | 24 | 4X4 w/relay              | whi 8A94-51     |
|    |     | 24 | ½ EMT A/C relay only     | whi 8A04-1      |

# Glow Ignitors

|           |                |                                                      |
|-----------|----------------|------------------------------------------------------|
| Armstrong | 17J57          |                                                      |
| Armstrong | 56W61          |                                                      |
| Armstrong | 70W16          |                                                      |
| Armstrong | 80M29          |                                                      |
| Armstrong | R43203-002     |                                                      |
| Coleman   | S1-02541021000 |                                                      |
| Honeywell | Q3200U1004     | Universal                                            |
| Mars      | 67914          | Amana B1336102, D99182, 10041601                     |
| Mars      | 67916          | Trane B13196P01                                      |
| Mars      | 67917          | York 025-27766-000, 025-29043-000<br>025-27774-000   |
| Mars      | 67920          | Carrier LH32ZS001, LH33ZS001<br>LH33ZS003, LH33ZS004 |
| Mars      | 68040          | Universal                                            |
| Rheem     | 62-103541-01   | RGFG                                                 |
| Rheem     | 62-22669-92    | Drum Furnace                                         |
| Rheem     | 62-22868-93    | Rheem                                                |
| W/R       | 767A-369       | Amana                                                |
| W/R       | 767A-370       | Carrier, Trane, Ducane                               |
| W/R       | 767A-371       | Nordyne, Evcon, Armstrong                            |
| W/R       | 767A-372       | Trane                                                |
| W/R       | 767A-373       | Tempstar, Heil, Comfortmaker,<br>Goodman, Intercity  |
| W/R       | 767A-378       | Goodman 20165703S                                    |
| W/R       | 767A-382       | Carrier                                              |

## Boards

|     |            |                   |
|-----|------------|-------------------|
| ICM | IMC271     | Carrier           |
| ICM | ICM275     | Carrier           |
| ICM | ICM280     | Goodman B1809913S |
| ICM | ICM282     | Carrier           |
| ICM | ICM2804    | Carrier           |
| Hon | S9200U1000 | Universal         |
| W/R | 21D83M-843 | Lennox 83M00      |
| W/R | 50A55-743  | Goodman B1809926S |
| W/R | 50M56U-843 | Universal HIS     |

## Ignition Controls

|     |             |                 |
|-----|-------------|-----------------|
| ARM | R43110-002  | Fenwall         |
| Col | 1474-0041   | HS780-34NR      |
| Col | 1474-0061/A | HS780-34NL-30   |
| Col | 37323884001 |                 |
| Col | 7995-3081   | Fenwall         |
| RHE | 62-21747-02 | SP7154 R/S      |
| RHE | 62-22446-81 | S890G1011 H/W   |
| RHE | 62-22578-01 | HS780-34-PL     |
| RHE | 62-23554-82 | 1016-452 UTEC   |
| RHE | 62-42231-82 | S8600B H/W      |
| RHE | 620044      | 5059-134 W/R    |
| WHI | 50A55-843   | Universal HSI   |
| WHI | 50D50-843   | Universal Spark |
| WHI | 50E47-843   | Universal HIS   |

# Capacitors

| MFD   | VOLTAGE | SHAPE     | PART NUMBER     |
|-------|---------|-----------|-----------------|
| 4     | 370     | OVAL      | SUP CR4X370     |
| 5     | 370     | OVAL      | SUP CR5X370     |
| 7.5   | 370     | OVAL      | SUP CR7.5X370   |
| 7.5   | 370     | OVAL      | ARM 46W17       |
| 7.5   | 440     | SQ        | COL 02435602000 |
| 10    | 370     | OVAL      | SUP CR10X370    |
| 12.5  | 370     | OVAL      | SUP CR12.5X370  |
| 12.5  | 370     | RD        | ARM 33H41/83W76 |
| 15    | 370     | OVAL      | SUP CR15X370    |
| 15    | 370     | RD        | SUP CR15X370R   |
| 20    | 370     | RD        | SUP CR20X370R   |
| 20    | 370     | RD W/BOOT | ARM 46W19       |
| 25    | 370     | RD        | SUP CR25X370R   |
| 40    | 370     | RD        | ARM 26W38       |
| 25/3  | 370     | RD        | RHE 43-25133-01 |
| 25/5  | 370     | RD        | SUP CD25+5X370R |
| 30/3  | 370     | OVAL      | RHE 43-25135-16 |
| 30/3  | 370     | RD        | RHE 43-25133-02 |
| 30/5  | 370     | RD        | SUP CD30+5X370R |
| 35/3  | 370     | OVAL      | RHE 43-25135-17 |
| 35/3  | 370     | RD        | RHE 43-25133-03 |
| 35/5  | 370     | RD        | RHE 43-25133-35 |
| 35/5  | 370     | RD        | SUP CD35+5X370R |
| 35/5  | 440     | RD        | SUP CD35+5X440R |
| 40/3  | 370     | RD        | RHE 43-26261-33 |
| 40/3  | 370     | OVAL      | RHE 43-25135-19 |
| 40/3  | 440     | RD        | RHE 43-25133-13 |
| 40/5  | 370     | RD        | SUP CD40+5X370R |
| 40/5  | 370     | RD        | RHE 43-26261-09 |
| 40/5  | 440     | RD        | SUP CD40+5X440R |
| 45/3  | 370     | RD        | RHE 43-25133-05 |
| 45/5  | 370     | RD        | SUP CD45+5X370R |
| 45/5  | 440     | RD        | SUP CD45+5X440R |
| 45/5  | 440     | RD        | RHE 43-25133-16 |
| 45/10 | 370     | RD        | RHE 43-26271-48 |
| 50/3  | 370     | RD        | RHE 43-25133-07 |
| 50/5  | 370     | RD        | SMA SE531       |
| 55/5  | 370     | RD        | SMA SE54        |
| 55/5  | 440     | RD        | SUP CD55+5X440R |
| 55/10 | 370     | RD        | RHE 43-25133-29 |
| 60/3  | 370     | RD        | RHE 43-25133-09 |
| 60/5  | 370     | RD        | SMA SE553       |